WEST Search History



DATE: Thursday, March 10, 2005

Hide?	Set Name	Query	Hit Count			
DB=USPT; PLUR=YES; OP=ADJ						
	L26	content near5 (descriptor or identifier) same rout\$3 adj3 table	9			
	L25	content near5 rout\$3 same rout\$3 adj3 table	369			
	DB=PC	GPB,USPT; PLUR=YES; OP=ADJ				
	L24	L22 same rout\$3 adj3 table	16			
	L22	content-based near5 rout\$3	125			
	L21	(redirecting or rout\$3 or propagt\$4) with content near5 request with (descriptor or identifier)	13			
	L20	(redirecting or routing or propagt\$4) with content near5 request with (descriptor or identifier)	3			
	L19	(redirecting or routing) near5 (request\$3 or propagat\$6) near5 content near5 (descriptor or identifier)	4			
	L18	(request\$3 or propagat\$6) near5 content near5(descriptor or identifier)	503			
	L17	table with content with (descriptor or identifier)	1229			
	L15	rout\$4 same table same content with (descriptor or identifier)	117			
	L14	table same content with (descriptor or identifier)	1925			
	L11	request\$3 near5 (web page or video or content) near5 descriptor same payload	5			
	L10	L9 same attribute	1			
	L9	request\$3 near5 content near5 descriptor	48			
	L8	content near5 request\$3 same descriptor	172			
DB=PGPB; PLUR=YES; OP=ADJ						
	L7	20020087659	1			

END OF SEARCH HISTORY

WEST Search History



DATE: Thursday, March 10, 2005

Hide?	Set Name	Query	Hit Count			
	DB=USPT; PLUR=YES; OP=ADJ					
	L26	content near5 (descriptor or identifier) same rout\$3 adj3 table	9			
	L25	content near5 rout\$3 same rout\$3 adj3 table	369			
	DB=PGPB,USPT; PLUR=YES; OP=ADJ					
	L24	L22 same rout\$3 adj3 table	16			
	L22	content-based near5 rout\$3	125			
□ .	L21	(redirecting or rout\$3 or propagt\$4) with content near5 request with (descriptor or identifier)	13			
	L20	(redirecting or routing or propagt\$4) with content near5 request with (descriptor or identifier)	3			
	L19	(redirecting or routing) near5 (request\$3 or propagat\$6) near5 content near5 (descriptor or identifier)	4			
	L18	(request\$3 or propogat\$6) near5 content near5(descriptor or identifier)	503			
	L17	table with content with (descriptor or identifier)	1229			
	L15	rout\$4 same table same content with (descriptor or identifier)	117			
	L14	table same content with (descriptor or identifier)	1925			
	L11	request\$3 near5 (web page or video or content) near5 descriptor same payload	5			
	L10	L9 same attribute	1			
	L9	request\$3 near5 content near5 descriptor	48			
	L8	content near5 request\$3 same descriptor	172			
	DB=PC	GPB; PLUR=YES; OP=ADJ				
	L7	20020087659	1			
	DB=USPT; PLUR=YES; OP=ADJ					
	L4	daemon with re\$start\$4 with web server	0			

END OF SEARCH HISTORY

Freeform Search

US Pre-Grant Publication Full-Text Database US Patents Full-Text Database US OCR Full-Text Database Database: EPO Abstracts Database JPO Abstracts Database **Derwent World Patents Index IBM Technical Disclosure Bulletins** (redirecting or rout\$3 or propagt\$4) with Term: identifier)

content near5 request with (descriptor or

10 Documents in Display Format: -Display:

Starting with Number 1

Generate: O Hit List O Hit Count O Side by Side O Image



Search History

DATE: Thursday, March 10, 2005 Printable Copy Create Case

Set Name side by side	Query	Hit Count	Set Name result set
DB=F	PGPB,USPT; PLUR=YES; OP=ADJ	•	
<u>L21</u>	(redirecting or rout\$3 or propagt\$4) with content near5 request with (descriptor or identifier)	13	<u>L21</u>
<u>L20</u>	(redirecting or routing or propagt\$4) with content near5 request with (descriptor or identifier)	3	<u>L20</u>
<u>L19</u>	(redirecting or routing) near5 (request\$3 or propagat\$6) near5 content near5(descriptor or identifier)	4	<u>L19</u>
L18	(request\$3 or propagat\$6) near5 content near5(descriptor or identifier)	503	<u>L18</u>
L17	table with content with (descriptor or identifier)	1229	<u>L17</u>
L16	rout\$4 wih table with content with (descriptor or identifier)	0	L16
L15	rout\$4 same table same content with (descriptor or identifier)	117	L15
L14	table same content with (descriptor or identifier)	1925	L14
L13	rout\$3 near\$4 table same content with (descriptor or identifier)	0	L13
L12	rout\$3 near\$4 table same content near5 (descriptor or identifier)	0	L12
<u>L11</u>	request\$3 near5 (web page or video or content) near5 descriptor same payload	5	<u>L11</u>